

NRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

# Custom Soil Resource Report for Sacramento County, California



# **Preface**

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2 053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# **Contents**

Preface	2
Soil Map	
Soil Map (304 Soils Map)	6
Legend	7
Map Unit Legend (304 Soils Map)	8
Map Unit Descriptions (304 Soils Map)	
Sacramento County, California	
155—Gazwell mucky clay, partially drained, 0 to 2 percent slopes	
206—Sailboat silt loam, partially drained, 0 to 2 percent slopes, MLRA	
16	11
222—Scribner clay loam, partially drained, 0 to 2 percent slopes,	
MLRA 16	13
247—Water	. 15

# Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



### MAP LEGEND

### Area of Interest (AOI)

Area of Interest (AOI)

### Soils

Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points

### Special Point Features

(o)

Blowout



Borrow Pit



Clay Spot



**Closed Depression** 



Gravel Pit



**Gravelly Spot** 



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot Other



Special Line Features

### Water Features

Streams and Canals

### Transportation

---

Rails

Interstate Highways

**US Routes** 



Major Roads



Local Roads

### Background



Aerial Photography

### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Sacramento County, California Survey Area Data: Version 19, May 29, 2020

Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Data not available.

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

# Map Unit Legend (304 Soils Map)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
155	Gazwell mucky clay, partially drained, 0 to 2 percent slopes	29.6	9.7%
206	Sailboat silt loam, partially drained, 0 to 2 percent slopes, MLRA 16	188.4	61.6%
222	Scribner clay loam, partially drained, 0 to 2 percent slopes, MLRA 16	87.4	28.6%
247	Water	0.3	0.1%
Totals for Area of Interest		305.7	100.0%

# Map Unit Descriptions (304 Soils Map)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Sacramento County, California

### 155—Gazwell mucky clay, partially drained, 0 to 2 percent slopes

### **Map Unit Setting**

National map unit symbol: hhmz

Elevation: 20 feet

Mean annual precipitation: 15 inches
Mean annual air temperature: 59 degrees F

Frost-free period: 275 to 300 days

Farmland classification: Prime farmland if irrigated

### **Map Unit Composition**

Gazwell and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

### **Description of Gazwell**

### Setting

Landform: Backswamps

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Dip

Down-slope shape: Linear Across-slope shape: Linear Parent material: Alluvium

### **Typical profile**

Ap - 0 to 30 inches: mucky clay
2Ab - 30 to 36 inches: mucky silty clay

30a - 36 to 60 inches: muck

### **Properties and qualities**

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Very poorly drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.57 to 1.98 in/hr)

Depth to water table: About 0 inches

Frequency of flooding: Rare Frequency of ponding: None

Available water capacity: Very high (about 13.7 inches)

### Interpretive groups

Land capability classification (irrigated): 3w Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: B/D

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### **Minor Components**

### **Egbert**

Percent of map unit: 4 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Rindge

Percent of map unit: 4 percent

Landform: Marshes

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Scribner

Percent of map unit: 3 percent Landform: Backswamps

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Sailboat

Percent of map unit: 3 percent

Landform: Levees

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Unnamed, clayey below 20in.

Percent of map unit: 1 percent

Hydric soil rating: No

# 206—Sailboat silt loam, partially drained, 0 to 2 percent slopes, MLRA 16

### **Map Unit Setting**

National map unit symbol: 2xlch

Elevation: -10 to 30 feet

Mean annual precipitation: 18 to 20 inches Mean annual air temperature: 61 to 62 degrees F

Frost-free period: 320 to 330 days

Farmland classification: Prime farmland if irrigated

### **Map Unit Composition**

Sailboat and similar soils: 85 percent *Minor components*: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

### **Description of Sailboat**

### Setting

Landform: Flood plains on natural levees Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Alluvium derived from igneous, metamorphic and sedimentary

rock

### **Typical profile**

Ap - 0 to 6 inches: silt loam
A - 6 to 16 inches: silt loam
C - 16 to 28 inches: silt loam
2Akb - 28 to 34 inches: clay loam
2C - 34 to 49 inches: loam
2Ck - 49 to 62 inches: loam

### **Properties and qualities**

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.14 to 1.42 in/hr)

Depth to water table: About 24 to 35 inches

Frequency of flooding: Rare Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water capacity: Very high (about 12.4 inches)

### Interpretive groups

Land capability classification (irrigated): 2w Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: C

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: Yes

### **Minor Components**

### Gazwell

Percent of map unit: 3 percent Landform: Backswamps

Landform position (three-dimensional): Dip

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### **Egbert**

Percent of map unit: 3 percent Landform: — error in exists on —

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Scribner

Percent of map unit: 3 percent

Landform: Flood plains

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Columbia

Percent of map unit: 3 percent

Landform: Flood plains

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites (PROVISIONAL), R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Cosumnes

Percent of map unit: 3 percent

Landform: Flood plains

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

# 222—Scribner clay loam, partially drained, 0 to 2 percent slopes, MLRA 16

### **Map Unit Setting**

National map unit symbol: 2x4l6

Elevation: 0 to 10 feet

Mean annual precipitation: 16 to 20 inches Mean annual air temperature: 61 to 62 degrees F

Frost-free period: 319 to 327 days

Farmland classification: Prime farmland if irrigated

### **Map Unit Composition**

Scribner, partially drained, and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

### **Description of Scribner, Partially Drained**

### Setting

Landform: Backswamps

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Fine-loamy alluvium derived from igneous, metamorphic and

sedimentary rock

### **Typical profile**

Ap1 - 0 to 4 inches: clay loam Ap2 - 4 to 12 inches: clay loam A - 12 to 21 inches: clay loam Ab - 21 to 39 inches: clay loam Bg - 39 to 51 inches: clay loam

Bkg - 51 to 60 inches: sandy clay loam

### Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Poorly drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.01 to 0.28 in/hr)

Depth to water table: About 20 to 35 inches

Frequency of flooding: Rare Frequency of ponding: None

Calcium carbonate, maximum content: 1 percent Maximum salinity: Nonsaline (0.0 to 0.4 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water capacity: High (about 9.4 inches)

### Interpretive groups

Land capability classification (irrigated): 2w Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: C

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### **Minor Components**

### **Egbert**

Percent of map unit: 5 percent Landform: Backswamps Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Sailboat

Percent of map unit: 5 percent

Landform: Levees

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA002CA - Freshwater, Stratified, Fluventic Sites

(PROVISIONAL)

Hydric soil rating: No

### Gazwell

Percent of map unit: 2 percent Landform: Backswamps

Landform position (three-dimensional): Dip

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R016XA001CA - Tidally-Influenced, Freshwater Sites

(PROVISIONAL)

Hydric soil rating: Yes

### Tinnin

Percent of map unit: 1 percent

Landform: Dunes

Landform position (three-dimensional): Rise

Down-slope shape: Convex Across-slope shape: Linear Hydric soil rating: No

### Dierssen

Percent of map unit: 1 percent

Landform: Basin floors

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

### Guard

Percent of map unit: 1 percent Landform: Rims on basin floors

Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

### 247—Water

### **Map Unit Composition**

Water: 100 percent

Estimates are based on observations, descriptions, and transects of the mapunit.